






LED 3W	Ra 90	3 SDCM	100 lumen	350 mA			DIM
IP44			2700K 3000K 4000K	1 LED /m ² 2 LED /m ²	L90B20 100000h		

! HUOM! Valaisimen etuosa on IP44. Takaosa on IP20. **OBS!** Armaturens framsida är IP44. Baksidan är IP20.
ATTENTION! Front of fixture is rated IP44. Back of fixture rates IP20.

	Sähkönumerot	E-Nummer	Product numbers	
	2700K	41 281 83	74 508 08	1000 0431
	3000K	41 069 18	74 527 90	1000 0424
	4000K	41 069 44	74 507 53	1000 0423
	2700K	41 281 86	74 507 26	1000 0428
	3000K	41 069 84	74 507 58	1000 0425
	4000K	41 069 88	74 507 59	1000 0420
	2700K	41 281 84	74 507 24	1000 0430
	3000K	41 069 80	74 507 54	1000 0427
	4000K	41 069 81	74 507 55	1000 0422
	2700K	41 281 85	74 507 25	1000 0429
	3000K	41 069 82	74 507 56	1000 0426
	4000K	41 069 83	74 507 57	1000 0421



Sähkönumerot

	41 069 23
	41 280 23
	41 280 21
	41 280 22




E-Nummer

74 526 97
74 507 98
74 507 96
74 507 97










Product numbers

1000 0655
1000 0652
1000 0654
1000 0653



LED 3W	Ra 90	3 SDCM	100 lumen	350 mA	-20 °C ... +50 °C	ON/OFF
IP44 FIXTURE	IP20 DRIVER	120°	15 mm	2700K 3000K 4000K	1 LED /m² 2 LED /m²	L90B10 50 000h

	 Sähkönumerot	 E-Nummer	 Product numbers
	2700K 3000K 4000K	41 069 17 41 069 43	1000 0687 1000 0680 1000 0679
	2700K 3000K 4000K	41 069 78 41 069 79	1000 0684 1000 0681 1000 0676
	2700K 3000K 4000K	41 069 59 41 069 75	1000 0686 1000 0683 1000 0678
	2700K 3000K 4000K	41 069 76 41 069 77	1000 0685 1000 0682 1000 0677